


Fig. 1



006071" 9F660260

Example of XML formatted data from Data Dictionary or Data Central:

```
<?xml version="1.0"?>
<VARIABLES>
  <VARIABLE KEY="J5">
    <NAME LANGUAGE="SNMP" VALUE="1.3.6.1.4.1.2001.1.1.1.1.40"/>
    <NAME LANGUAGE="PDI" VALUE="OKPAPERFEED"/>
    <NAME LANGUAGE="English" VALUE="Paper tray source"/>
    <NAME LANGUAGE="French" VALUE="Source de papier"/>
  </VARIABLE>
</VARIABLES>
```

Example of XML formatted data from Data Agent:

```
<?xml version="1.0"?>
<VARIABLES LANGUAGE="PDI">
  <VARIABLE NAME="DISPLAY" VALUE="ON-LINE"/>
  <VARIABLE NAME="PERSONALITY" VALUE="AUTO"
    OPTIONS="ENUMERATED">
    <OPTION VALUE="PCL"/>
    <OPTION VALUE="EMPR"/>
    <OPTION VALUE="EPSONFX"/>
    <OPTION VALUE="AUTO"/>
  </VARIABLE>
  <VARIABLE NAME="OKPAPERFEED" VALUE="TRAY1">
    <OPTION VALUE="TRAY1"/>
    <OPTION VALUE="FRONTTRAY"/>
  </VARIABLE>
  <VARIABLE NAME="OKAUTOTRAYSWITCH" VALUE="OFF">
    <OPTION VALUE="OFF"/>
    <OPTION VALUE="ON"/>
  </VARIABLE>
</VARIABLES>
```

Fig. 2

000011 9600200





Fig. 7



00001154600260

000077 97600200




Fig 5

[illegible]